



# High speed trailer tires

2024 Europe

Designed for  
your journey





# The KENDA KR101 MasterTrail 3G and KR103 MasterTrail XC

High load capacity tires for single axle trailers, tandem trailers, triaxles and heavyduty applications.

Cruise on the road with the MasterTrail 3G or go off-road with the MasterTrail XC.



## KENDA KR101 MasterTrail 3G and KR103 MasterTrail XC product range

Dimension	Pattern	EAN	SI	LI 1	LI 2	TT/TL	mm	mm	kg	km/h	Bar	Rim	Fuel	Wet grip	db1222/2009
<b>10"</b>															
145R10C	KENDA KR101 MasterTrail 3G	674537	N	84	82	Tyre TL	492	143	500	140	4,5	3.50			
195/55R10C	KENDA KR101 MasterTrail 3G	674605	N	98	96	Tyre TL	468	201	750	140	6,2	6.00			
<b>12"</b>															
155/70R12C	KENDA KR101 MasterTrail 3G	674544	N	104	102	Tyre TL	527	157	900	140	6,5	4.5	B	C	72
185/60R12C	KENDA KR101 MasterTrail 3G	674575	N	104	102	Tyre TL	529	187	900	140	6,5	5.5	B	C	72
195/60R12C	KENDA KR101 MasterTrail 3G	723914	N	108	106	Tyre TL	534	191	1000	140	6,6	6	B	C	72
<b>13"</b>															
165R13C	KENDA KR101 MasterTrail 3G	674551	N	96	94	Tyre TL	596	167	710	140	4,5	4.5	B	C	72
185/70R13C	KENDA KR103 MasterTrail XC	737737	N	106	104	Tyre TL	590	187	950	140	6	5.5	D	B	72
195/50R13C	KENDA KR101 MasterTrail 3G	674599	N	104	102	Tyre TL	529	196	900	140	6,5	6	B	C	72
<b>14"</b>															
175R14C	KENDA KR101 MasterTrail 3G	674568	N	99	98	Tyre TL	634	178	775	140	4,5	5	B	C	72
185R14C	KENDA KR101 MasterTrail 3G	674582	N	104	102	Tyre TL	650	188	900	140	4,5	5.5	B	C	72
195R14C	KENDA KR101 MasterTrail 3G	674612	N	108	106	Tyre TL	666	198	1000	140	5	5.5	A	C	72
205R14C	KENDA KR101 MasterTrail 3G	674629	N	109	107	Tyre TL	688	208	1030	140	4,5	6	B	C	72
215R14C	KENDA KR101 MasterTrail 3G	674636	N	116	114	Tyre TL	700	218	1250	140	4,75	6	A	C	72
<b>15"</b>															
225/70R15C	KENDA KR101 MasterTrail 3G	674643	N	116	114	Tyre TL	697	228	1250	140	4,75	6.5	A	C	72
<b>16"</b>															
175/75R16C	KENDA KR101 MasterTrail 3G	723921	N	104	102	Tyre TL	668	177	900	140	5,3	5	B	C	72

- > **High loading capacity:** A robust carcass design ensures that heavy loads can be transported confidently
- > **Optimised mileage:** A Free Rolling Tire construction extends the tire's life and fuel efficiency
- > **Quiet traction:** Specially designed tread enhances traction while minimising noise levels
- > **All season performance:** A high sipe density secures superior grip regardless of the weather
- > **M+S rated:** The tires are Mud & Snow marked for reliable traction in diverse terrains
- > **Low rolling resistance:** On par with EU standards for low rolling resistance, ensuring fuel efficiency
- > **Enhanced air retention:** An enhanced inner liner compound reduces the need for constant pressure checks





# KENDA KR500 Winter Trailer Studdable

A true winter tire with 3 Peak Mountain Snow Flake rating (3PMSF) for single axle trailers and mid-range tandem trailers



## KENDA KR500 Winter Trailer Studdable

Dimension	Pattern	EAN	SI	LI 1	LI 2	TT/TL	mm	mm	kg	km/h	Bar	Rim	Fuel	Wet grip	db1222/2009
10"															
195/55R10C	KENDA KR500 Winter Trailer Studdable	692951	N	98	96	Tyre TL	468	201	750	140	6,2	6.00			
12"															
155/70R12C	KENDA KR500 Winter Trailer Studdable	675237	N	104	101	Tyre TL	527	155	900	140	6,6	4.5	F	B	72
185/60R12C	KENDA KR500 Winter Trailer Studdable	675244	N	104	101	Tyre TL	526	185	900	140	6,6	5.5	F	B	72
13"															
155R13C	KENDA KR500 Winter Trailer Studdable	693125	N	91	89	Tyre TL	576	149	615	140	4,5	4	E	B	72
165R13C	KENDA KR500 Winter Trailer Studdable	711386	N	96	94	Tyre TL	596	164	710	140	4,5	4.5	E	B	72
185/70R13C	KENDA KR500 Winter Trailer Studdable	711379	N	106	104	Tyre TL	590	189	950	140	5,9	5.5	E	B	72
195/50R13C	KENDA KR500 Winter Trailer Studdable	671512	N	104	101	Tyre TL	529	192	900	140	6,6	6	F	B	72
14"															
185R14C	KENDA KR500 Winter Trailer Studdable	693118	N	104	102	Tyre TL	650	186	900	140	4,5	5.5	E	B	72

- > **Optimised mileage:** A Free Rolling Tire construction extends the tire's life and fuel efficiency
- > **Good load capacity:** A robust carcass design ensures worry-free transportation of lighter loads
- > **Stable handling:** An enhanced grip ensures excellent stability in difficult conditions
- > **Secure braking:** An intelligently designed tread offers excellent aquaplaning resistance
- > **Studdable:** The option to add studs for unbeatable snow traction is built into the design
- > **Tailored for European roads:** Specifically designed and engineered with the European market in mind
- > **3 Peak Mountain Snow Flake rating (3PMSF):** The tire meets the stringent requirements for performance in snowy and icy conditions
- > **Enhanced air retention:** An enhanced inner liner reduces the need for constant pressure checks





# KENDA KR209 KargoTrail 3G

Lighter load capacity tires for single axle trailers and midrange tandem trailers



- > **Good load capacity:** A robust carcass design ensures worry-free transportation of lighter loads
- > **Optimised mileage:** A Free Rolling Tire construction extends the tire's life and fuel efficiency
- > **Quiet wet surface traction:** Specially designed tread enhances traction on wet surfaces
- > **All season performance:** A high sipe density secures superior grip regardless of the weather
- > **M+S rated:** The tires are Mud & Snow marked for reliable traction in diverse terrains
- > **Low rolling resistance:** On par with EU standards for low rolling resistance, ensuring fuel efficiency
- > **Enhanced air retention:** An enhanced inner liner compound reduces the need for constant pressure checks

## KENDA KR209 KargoTrail 3G product range

Dimension	Pattern	EAN	SI 1	LI 1	LI 2	TT/TL	mm	mm	kg	km/h	Bar	Rim	Fuel	Wet grip	db1222/2009
<b>10"</b>															
145/80R10	KENDA KR209 KargoTrail 3G	674421	N	74		Tyre TL	486	144	375	140	3,4	3.50			
<b>13"</b>															
135/80R13	KENDA KR209 KargoTrail 3G	674414	N	70		Tyre TL	546	133	335	140	3	3.5	C	D	69
145/80R13	KENDA KR209 KargoTrail 3G	674438	N	75		Tyre TL	562	145	387	140	3	4	C	D	69
145/80R13	KENDA KR209 KargoTrail 3G	674445	N	78		Tyre TL	562	145	425	140	3,4	4	C	D	69
155/70R13	KENDA KR209 KargoTrail 3G	674452	N	74		Tyre TL	548	157	375	140	3	4.5	C	D	69
155/80R13	KENDA KR209 KargoTrail 3G	674469	N	84		Tyre TL	578	155	500	140	3,4	4.5	C	D	69
165/70R13	KENDA KR209 KargoTrail 3G	674476	N	79		Tyre TL	564	172	437	140	3	5	C	D	69
175/70R13	KENDA KR209 KargoTrail 3G	674483	N	86		Tyre TL	578	177	530	140	3,4	5	C	D	69
185/70R13	KENDA KR209 KargoTrail 3G	674506	N	93		Tyre TL	590	191	650	140	3,4	5.5	A	D	69
<b>14"</b>															
185/65R14	KENDA KR209 KargoTrail 3G	674490	N	93		Tyre TL	596	185	650	140	3,4	5.5	B	D	69
195/70R14	KENDA KR209 KargoTrail 3G	674520	N	98		Tyre TL	632	209	750	140	3,4	6	A	D	69
<b>15"</b>															
195/65R15	KENDA KR209 KargoTrail 3G	674513	N	98		Tyre TL	636	200	750	140	3,4	6	B	D	69



# About KENDA

KENDA was founded in Taiwan in 1962 and has since grown to become one of the world's leading tire manufacturers operating across Asia, the US and Europe. Powered by a passion for mobility, we design and manufacture tires for your journey. We continuously work to ensure progression and to keep the world moving on tires and wheels that are fit for life. With more than 12.000 employees, 10 tire factories, 6 wheel factories, 3 technical centres and a global network of operation and distribution sites, we are proud to be a reliable partner for our customers.